



## L42, L44-F and L44-V

# APPLICATION RATES

### THIS DOCUMENT INCLUDES:

- L44-F Food Safe Sanitising  
For food safe sanitising and shelf life enhancement.
- L44-F General Sanitising  
For the general sanitising of food areas.
- L44-V Veterinary Sanitation  
For the sanitation against livestock and general animal sanitising.
- L42 Hospital Grade Sanitising  
For general disinfecting, hard surface sanitising and high virucidal efficacy.



## L44-V Application Rates

For the sanitation against livestock and general  
animal sanitising

Animal Care	Dosage rate per litre of water	Application Notes
<b>Lumpy Skin Disease</b>	12ml for first 3 days, 10ml everyday after.	Spray onto affected area and leave to soak.
<b>Mastitis</b>	10ml	Spray onto affected area and leave to soak.
<b>Other Animal Disease</b>	10ml	Spray onto affected area and leave to soak.
<b>Pet &amp; Animal Bedding</b>	5ml	Spray on bedding or for longer lasting results add proportionally to wash water during final rinse.
<b>Stables, Runs and Sties</b>	20ml	Spray, mist or fog liberally on walls and floors after cleaning.
<b>Dairy</b>	10ml	Spray, mist or fog liberally on walls and floors after cleaning.

**IMPORTANT:** Always refer to safety directions before use. If you're unsure of compatibility of product with a surface, spot check before cleaning on a small area. **No products are to be ingested. All products are for external use only.**

## L44-F Application Rates

For Food Safe Sanitising and Shelf Life Enhancement

Food Type	Dosage rate per litre of water	Application Notes
Whole Fruit	1ml	Dip for 2 minutes and allow to dry
Vegetables	2ml	Dip for 2 minutes and allow to dry
Seafood	1ml	Dip for 2 minutes and allow to dry
Potable Water Equipment	0.5ml	Add to standing water. Increase to 5mls per litre as pipe or container flush.
Cut fruit & Vegetables	0.5ml	Dip for 2 minutes and allow to dry
Eggs	2ml	Spray or Dip for 2 minutes and allow to dry
Meat	2ml	Spray or Dip for 2 minutes and allow to dry

## L44-F General Sanitising Application Rates

For the general sanitising of food areas

General Sanitising	Dosage rate per litre of water	Application Notes
Food Preparation Areas	10ml	Spray and wipe lightly and allow to dry.
Floors	20ml	Mop over floor and allow to dry.
Packing Areas	10ml	Spray, mist or fog and ensure liquid is in contact with surface for at least 5 minutes.
Cool Rooms	10ml	Spray, mist or fog and ensure liquid is in contact with surface for at least 5 minutes
Reusable Packaging	5ml	Dip and allow to dry.
Commercial Disinfectant	20ml	Spray, wipe, mist or fog and allow to dry.
Hospital Grade Disinfectant	50ml	Spray, wipe, mist or fog and allow to dry.
Virucide	60ml	Spray, wipe, mist or fog and allow to dry.

# L42

Hospital Grade  
Disinfectant

## L42 Application Rates

For general disinfecting, hard surface sanitising and high virucidal efficacy.

General Sanitising	Dosage rate per litre of water	Application Notes
Hard Surface Sanitising	10ml	Spray and wipe lightly and allow to dry.
Commercial Sanitising	20ml	Mop over floor and allow to dry.
Hospital Grade Sanitising	10ml	Spray, mist or fog and ensure liquid is in contact with surface for at least 5 minutes.
High Virucide Efficacy	60ml	Spray, mist or fog and ensure liquid is in contact with surface for at least 5 minutes

**IMPORTANT:** Always refer to safety directions before use. If you're unsure of compatibility of product with a surface, spot check before cleaning on a small area. **No products are to be ingested. All products are for external use only.**